

Grapple saw with fixed piston motor and hydraulic 360° unlimited with 6 (hydraulic link)



mod. TP 175 professional- MF


Made from Domex 710 steel and equipped with lock valve - min. 180 BAR - max 350 BAR

The trunk grabs are used to transport, load, and unload tree trunks that have been cleaned of branches and are ready for transport: They can be assembled on forestry cranes of all models and sizes.

The great new development in 2012 is this log grapple saws.

This new chainsaw system for log grapple enables the operator to cut wood from the complete safety of the cabin.

TECHNICAL DATA



TECHNICAL DATA

Ø Cutting diameter of chainsaw	model	litres	LiftKg	Saw kit weight kg	Area mq	Motor oil in litres	A mm	B mm	C mm	D mm	E mm	F mm	G mm	G 1 mm	SP mm
Ø 500	TP 135 Professional - MF	45/60	2100	90	0.255	min.45/max 150	1350	880	500	540	550	90	370	350	12
Ø 500	TP135 P-professional - MF	45/60	2300	90	0.255	min.45/max 150	1350	880	500	540	550	90	370	350	15
Ø 600	TP155 Professional - MF	60/80	2700	90	0.336	min.45/max 150	1550	960	620	630	600	100	430	400	12
Ø 600	TP155 P-Professional - MF	60/80	2900	90	0.336	min.45/max 150	1550	960	620	630	600	100	430	400	15
Ø 700	TP175 Professional - MF	80/120	3200	130	0.428	min.45/max 150	1750	1100	680	710	670	130	490	400	15
Ø 700	TP175 P-Professional - MF	80/120	3400	130	0.428	min.45/max 150	1750	1100	680	710	670	130	490	400	20
Ø 800	TP175 Professional - MF	120/150	3200	130	0.428	min.50/max 200	1750	1100	680	710	670	130	490	400	15
Ø 800	TP175 P-Prof	120/150	3400	130	0.428	min.50/max	1750	1100	680	710	670	130	490	400	20

						x 200									
Ø 1000	TP 200 P- profes sional - MF	150/2 00	4000	130	0.531	min. 50/ma x 200	2000	1300	800	820	780	150	560	400	20

- Chain lubrication: Automatic
- Mechanical chain tensioner: Quick
- Oil tank: 1,2 litres

Grapple saw PROFESSIONAL and PROFESSIONAL-P (HEAVY) with fixed pistons motor and hydraulic rotator 360° unlimited with 6 hydraulic link (from 45 to 200 litres)

Model	With Rotator	Litres
TP 135 PROFESSIONAL -MF - Ø 500	GRS 10	45/60
TP 155 PROFESSIONAL- MF - Ø 600	GRS 12 S	60/80
TP 175 PROFESSIONAL- MF - Ø 700	GRS 16 S	80/120
TP 175 PROFESSIONAL- MF - Ø 800	GRS 16 S	120/150
TP 135 P-PROFESSIONAL MF - Ø 500	GRS 10	45/60
TP 155 P-PROFESSIONAL-MF - Ø 600	GRS 12 S	60/80
TP 175 P-PROFESSIONAL- MF - Ø 700	GRS 16 S	80/120
TP 175 P -PROFESSIONAL-MF - Ø 800	GRS 16 S	120/150
TP 200 P-PROFESSIONAL- MF - Ø 1000	GRS 16 S	150/200

GRAB ACCESSORIES - ROTATORS FOR WOOD GRABS

- [ACCESSORIES Grab - Rock grab - Clamshell buckets](#)
- [ROTATORS Grab accessories](#)

Download

 [Scarica il CERTIFICATO DI ORIGINE PINZE DA LEGNA \(77.5 KiB\)](#)